

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

Noise calculation model:

Danish low frequency 2024

Wind speed (at 10 m height):

6,0 m/s - 8,0 m/s, step 2,0 m/s

Terrain reduction:

-1.5 dB(A) Onshore

-3 dB(A) Offshore

Meteorological coefficient, C0:

Selected option: Fixed value: 0,0 dB

Type of demand in calculation:

1: WTG noise is compared to demand (DK, DE, SE, NL etc.)

Noise values in calculation:

All noise values are mean values (Lwa) (Normal)

Pure tones:

Pure tones penalty is added to total noise impact at receptors

Noise sensitive area

Height above ground level, when no value in NSA object:

1,5 m; Don't allow override of model height with height from NSA object

Uncertainty margin:

0,0 dB; Uncertainty margin in NSA has priority

Deviation from "official" noise demands. Negative is more restrictive, positive is less restrictive.:

0,0 dB(A)

Low frequency calculation

All coordinates are in

Geo [deg]-WGS84

WTG: VESTAS V162-7.2 7200 162.0 !O!

Noise: PO6800 - 2024-10

Source Source/Date Creator Edited

Vestas 31.10.2024 EMD 26.11.2024 16:08

Document no.: 0180-4981 V00

Date 2024-10-31

| Status       | Hub height [m] | Wind speed [m/s] | Low frequency data |              |              |              |              |              |              |              |              |              |              |               |               |               |
|--------------|----------------|------------------|--------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|---------------|---------------|---------------|
|              |                |                  | LwA,ref [dB(A)]    | 10,0 Hz [dB] | 12,5 Hz [dB] | 16,0 Hz [dB] | 20,0 Hz [dB] | 25,0 Hz [dB] | 31,5 Hz [dB] | 40,0 Hz [dB] | 50,0 Hz [dB] | 63,0 Hz [dB] | 80,0 Hz [dB] | 100,0 Hz [dB] | 125,0 Hz [dB] | 160,0 Hz [dB] |
| From Windcat | 166,0          | 6,0              | 97,7               | 44,3         | 49,4         | 54,4         | 59,4         | 65,5         | 70,5         | 74,0         | 82,8         | 88,0         | 89,2         | 90,7          | 92,1          | 91,7          |
| From Windcat | 166,0          | 8,0              | 98,1               | 44,6         | 49,7         | 54,8         | 59,9         | 66,5         | 71,7         | 74,6         | 82,9         | 88,0         | 89,3         | 90,9          | 92,5          | 92,2          |

Noise sensitive area: A Aizkalnes

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]

20,0 dB(A) 20,0 dB(A)

No distance demand

dLsigma

| 10,0 Hz [dB] | 12,5 Hz [dB] | 16,0 Hz [dB] | 20,0 Hz [dB] | 25,0 Hz [dB] | 31,5 Hz [dB] | 40,0 Hz [dB] | 50,0 Hz [dB] | 63,0 Hz [dB] | 80,0 Hz [dB] | 100,0 Hz [dB] | 125,0 Hz [dB] | 160,0 Hz [dB] |
|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|---------------|---------------|---------------|
| 6,8          | 3,9          | 0,4          | -0,2         | 4,8          | 6,2          | 8,4          | 10,5         | 11,9         | 11,9         | 16,0          | 17,5          | 17,9          |

Pure tone penalty: 0 dB

Noise sensitive area: B Zvirgzdini

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: C Uplejas

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: D Druku Vecumi

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: E Balo ž i

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: F Berzi

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: G Kropini

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: H Ergli

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: I Nazari

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: J Akoti

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: K Linares

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: L Lamani 1

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: M Rožlejas

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: N Aizupes

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: O Kumelites

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: P Vecumi

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: Q Rutini

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: R Viksnes

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: S Dimanti

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: T Rudzi š i

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: U Podnieki

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: V Marsnica

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: W Vilkmuiža

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: X Vecergli

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: Y Kvieši

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: Z Mežā Rasas

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AA Dravnieki

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AB Ogu Purvs

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AC Jaunmedni

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AD Graudini

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AE Birznieki

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AF Irbites

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AG Ruki

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AH Vipmali

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AI Galvani 1

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AJ Pludmales 1

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AK Pludmales

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AL Kalna Galvani

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AM Ziedini

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AN Strautini

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AO Druvas

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AP Saulkrasti

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AQ Jaundruvas 1

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AR Zilites

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AS Avotini

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AT Biksti

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AU Tudalinas

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AV Kalnares

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AW Su š i

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AX Jaundruvas

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AY Straumenini

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: AZ Krasta Ozoli

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BA Galvani

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BB Mui ž nieki

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BC Krastini

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BD Strauti

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BE Purenes

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BF Uplejas

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BG Spridi š i

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BH Klavas

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BI Kaupres

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BJ Kaupres 1

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BK Lici š i

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BL Liepsala

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BM Me ž vidi

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BN Me ž a Mui ž a

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BO Vilni š i

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BP Raceni

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BQ Vipēs skola 1

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BR Slīpie 1

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BS Upmali

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BT Ziemeļnieki

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BU Vasarnieki

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BV Ata š a

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BW Mui ž nieki

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BX Rijasvecumi

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BY Kalvani

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: BZ Uzkalnini

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: CA Cakstes

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: CB Jaunie Vu š karnieki

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: CC Upmalnieki

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: CD Gruguli

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: CE Aramsala

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: CF Alksni š i

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: CG Lejsalie š i

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: CH Araj

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: CI Plavinas

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: CJ Zali š i

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: CK Madaras

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: CL Vu š karnieki

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: CM Vecares

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: CN Strautmali

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: CO Jaunari

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]  
20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: CP Vidsala

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

## DECIBEL - Assumptions for noise calculation

Calculation: Low-frequency\_V162-7.2MW (166m HH)

6,0 [m/s] 8,0 [m/s]

20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

|         |         |         |         |         |         |         |         |         |         |          |          |          |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB

Noise sensitive area: CQ Jaunie Robe ž nieki

Predefined calculation standard: Cottage zones

Immission height(a.g.l.): Use standard value from calculation model

Uncertainty margin: Use default value from calculation model

No temporal binning

Noise demand:

6,0 [m/s] 8,0 [m/s]

20,0 dB(A) 20,0 dB(A)

No distance demand  
dLsigma

|         |         |         |         |         |         |         |         |         |         |          |          |          |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|
| 10,0 Hz | 12,5 Hz | 16,0 Hz | 20,0 Hz | 25,0 Hz | 31,5 Hz | 40,0 Hz | 50,0 Hz | 63,0 Hz | 80,0 Hz | 100,0 Hz | 125,0 Hz | 160,0 Hz |
| [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]    | [dB]     | [dB]     | [dB]     |
| 6,8     | 3,9     | 0,4     | -0,2    | 4,8     | 6,2     | 8,4     | 10,5    | 11,9    | 11,9    | 16,0     | 17,5     | 17,9     |

Pure tone penalty: 0 dB